# masteroil

# masteroil MULTI ATF FE

#### Description

This transmission fluid is an HC synthetic, heavy-duty ultra-high-performance transmission fluid. It was specifically designed for significantly extended change intervals. The oil consists of premium-grade synthetic base oils and is suitable for automatic truck transmissions and HGV and bus transmission systems.

#### **Application**

This transmission fluid is designed for long oil change intervals in automatic transmissions in HGVs and buses, as well as for transmissions in commercial vehicles and other heavy-duty applications.

Typical characteristic values Property	Method	Unit	Value
Density at 15°C	ASTM D4052	g/ml	0.844
Kinematic viscosity at 40°C	ASTM D445	mm²/s	38.7
Kinematic viscosity at 100°C	ASTM D445	mm²/s	7.3
Viscosity index	ASTM D2270	-	158
Pour point	ASTM D6892	°C	-54
Brookfield viscosity at -40°C	ASTM D2983	mPa-S	15400
Colour	VISUAL		RED

We reserve the right to change our products' general properties so that our customers can always benefit from the latest technical developments.

### **Specifications**

- VOITH H55.6335xx
- Aisin Warner AW-1 / JWS 3324/ AW-2
- Allison C4;
- BMW 83 22 0 397 114 / 83 22 9 407 858 / 83222152426 / 83 22 2 305 397 / 83222167718 / L 12108 / ATF 3 / M-1375.4
- Chrysler 68157995AA
- Fiat 9.55550-AV2 / AV5
- Ford MERCON LV / SP
- Ford WSS-M2C924-A / WSS-M2C938-A / WSS-M2C195-A
- GM Dexron HP / Dexron VI
- Honda DW1
- Hyundai NWS-9638 T5 / SPH-IV / SP-IV
- Isuzu WSI
- Jaguar 02JDE26444
- Land Rover LR023288
- Mazda FZ
- MB 236.12 / 236.41
- · Mitsubishi ATF J3
- Nissan Matic-S
- Tesla ATF9/EDF2
- Toyota Auto Fluid WS
- VW G 055 005 / 162 / 540 / G 060 162

#### **Advantages**

Very smooth shifting behaviour, no vibrations: Very quiet gear changes without vibrations Significantly extended transmission service life: Significantly extended transmission service life Excellent temperature and oxidation stability: Excellent thermal and oxidation stability

## This product is available in the following container sizes:

- 1 litre
- 5 litres
- 30 litres
- 60 litres