

Trade name: masteroil Diesel Systemreiniger

Product no.: 1717

Current version: 1.0.1, issued: 21.04.2022 Replaced version: 1.0.0, issued: 21.07.2021 Region: IE

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

masteroil Diesel Systemreiniger

UFI:

CRU5-T0VW-800R-E259

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Additive for mineral oil products

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

Masteroil GmbH Stockholmer Allee 30 b 44269 Dortmund

Telephone no. 0231 444 247 64 e-mail info@masteroil.com

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 Emergency telephone number

+353 1 809 2166 (National Poisons Information Centre)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aquatic Chronic 3; H412 Asp. Tox. 1; H304

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



Signal word

Danger

Hazardous component(s) to be indicated on label:

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %)



Trade name: masteroil Diesel Systemreiniger

Product no.: 1717

Current version: 1.0.1, issued: 21.04.2022 Replaced version: 1.0.0, issued: 21.07.2021 Region: IE

Hazard statement(s)

H304 May be fatal if swallowed and enters airways.
H412 Harmful to aquatic life with long lasting effects.

Hazard statements (EU)

EUH066 Repeated exposure may cause skin dryness or cracking.

Precautionary statement(s)

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

UFI:

CRU5-T0VW-800R-E259

2.3 Other hazards

PBT assessment No data available. vPvB assessment No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name	Substance name		onal informa	tion	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Conce	entration		%
1	Hydrocarbons, C11 (2-25%)	-C14, n-alkanes, isoalkanes, cyclics, aromatics				
	- 925-653-7 - 01-2119458869-15	EUH066 Asp. Tox. 1; H304 Aquatic Chronic 3; H412	>=	25,00 - <	50,00	wt%
2	Hydrocarbons, C14 (2-30 %)	I-C18, n-alkanes, isoalkanes, cyclics, aromatics				
	- 920-360-0 - 01-2119448343-41	Asp. Tox. 1; H304 EUH066	>=	25,00 - <	50,00	wt%
3	2-ethylhexyl nitrate					
	27247-96-7 248-363-6 - 01-2119539586-27	Acute Tox. 4; H302 Acute Tox. 4; H312 Acute Tox. 4; H332 Aquatic Chronic 2; H411 EUH044 EUH066	>=	10,00 - <	25,00	wt%
4	hydrocarbons, C10	, aromatics, <1% naphthalene				
	- 918-811-1 - 01-2119463583-34	Aquatic Chronic 2; H411 Asp. Tox. 1; H304 EUH066 STOT SE 3; H336	<	5,00		wt%
5	2-ethylhexan-1-ol					
	104-76-7 203-234-3 - 01-2119487289-20	Eye Irrit. 2; H319 Skin Irrit. 2; H315 STOT SE 3; H335 Acute Tox. 4; H332	<	5,00		wt%

Full Text for all H-phrases and EUH-phrases: pls. see section 16



Trade name: masteroil Diesel Systemreiniger

Product no.: 1717

Current version: 1.0.1, issued: 21.04.2022 Replaced version: 1.0.0, issued: 21.07.2021 Region: IE

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. If the patient is likely to become unconscious, place and transport in stable sideways position. In case of persisting adverse effects, consult a physician.

After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air.

After skin contact

In case of contact with skin wash off immediately with soap and water.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

After ingestion

Do not induce vomiting - aspiration hazard. Rinse the mouth thoroughly with water. Never give anything by mouth to an unconscious person. If individual is drowsy or unconscious, place in recovery position (on left side, with head down).

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray jet; Foam; Carbon dioxide; Extinguishing powder

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO2); Carbon dioxide (CO2); Vapours are heavier than air and may spread near ground to sources of ignition. May travel considerable distance to source of ignition and flash back.

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Cool endangered containers with water spray jet. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Keep away from ignition sources.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). When collected, handle material as described under the section heading "Disposal considerations".



Trade name: masteroil Diesel Systemreiniger

Product no.: 1717

Current version: 1.0.1, issued: 21.04.2022 Replaced version: 1.0.0, issued: 21.07.2021 Region: IE

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Provide good ventilation at the work area (local exhaust ventilation, if necessary). If workplace exposure limits are exceeded, respiratory protection approved for this particular job must be worn. Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Wash hands before breaks and after work.

Advice on protection against fire and explosion

Keep away from sources of heat and ignition.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place.

Recommended storage temperature

Value 50 °C

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Keep only in the original container. Protect from heat and direct sunlight.

Incompatible products

Do not store together with: Acids; Alkalies; oxidizing agents

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	2-ethylhexan-1-ol	104-76-7		203-234-3	
	2017/164/EU				
	2-ethylhexan-1-ol				
	WEL long-term (8-hr TWA reference period)	5,4	mg/m³	1	ppm
	List of Chemical Agents and Occupational Exposure I	_imit Values (Code of Pract	tice)	
	2-Ethylhexan-1-ol				
	WEL long-term (8-hr TWA reference period)	5,4	mg/m³	1	ppm
	Comments	IOELV			

DNEL, DMEL and PNEC values

DNEL values (worker)

	DIVLE Values (WOIKEI)				
No	Substance name			CAS / E	C no
	Route of exposure	Exposure time	Effect	Value	
1	2-ethylhexyl nitrate			27247-9 248-363	- -
	dermal	Long term (chronic)	systemic	1	mg/kg/day
	dermal	Long term (chronic)	local	44	µg/cm²



Trade name: masteroil Diesel Systemreiniger

Product no.: 1717

Current version: 1.0.1, issued: 21.04.2022 Replaced version: 1.0.0, issued: 21.07.2021 Region: IE

	inhalative	Long term (chronic)	systemic	0.35	mg/m³
2	hydrocarbons, C10, aromatics, <1% naphthalene			-	
	-			918-811-1	
	dermal	Long term (chronic)	systemic	12,5	mg/kg/day
	inhalative	Long term (chronic)	systemic	151	mg/m³
3	2-ethylhexan-1-ol			104-76-7	
	_			203-234-3	
	dermal	Long term (chronic)	systemic	23	mg/kg/day
	inhalative	Short term (acut)	local	106,4	mg/m³
	inhalative	Long term (chronic)	systemic	53,2	mg/m³

DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	2-ethylhexyl nitrate			27247-96-7	
				248-363-6	
	oral	Long term (chronic)	systemic	25	μg/kg/day
	dermal	Long term (chronic)	systemic	0.52	mg/kg/day
	dermal	Long term (chronic)	local	22	µg/cm²
	inhalative	Long term (chronic)	systemic	87	µg/m³
2	hydrocarbons, C10, aromatics, <1% naphthalene			-	
				918-811-1	
	oral	Long term (chronic)	systemic	7,5	mg/kg/day
	dermal	Long term (chronic)	systemic	7,5	mg/kg/day
	inhalative	Long term (chronic)	systemic	32	mg/m³
3	2-ethylhexan-1-ol			104-76-7	
				203-234-3	
	oral	Long term (chronic)	systemic	1,1	mg/kg/day
	dermal	Long term (chronic)	systemic	11,4	mg/kg/day
	inhalative	Long term (chronic)	systemic	2,3	mg/m³
	inhalative	Short term (acut)	local	53,2	mg/m³

PNEC values

No	Substance name		CAS / EC no	
NO		T		
	ecological compartment	Туре	Value	
1	2-ethylhexyl nitrate		27247-96-7	
			248-363-6	
	water	fresh water	0,8	μg/L
	water	marine water	0,08	μg/L
	water	fresh water sediment	0,00074	mg/kg dry
				weight
	water	marine water sediment	0,00074	mg/kg dry
				weight
	soil	-	0,000191	mg/kg dry
				weight
	sewage treatment plant	-	10	mg/L
2	2-ethylhexan-1-ol		104-76-7	
			203-234-3	
	water	fresh water	0,017	mg/L
	water	marine water	0,0017	mg/L
	water	Aqua intermittent	0,17	mg/L
	water	fresh water sediment	0,28	mg/kg
	with reference to: dry weight			
	water	marine water sediment	0,028	mg/kg
	with reference to: dry weight			
	soil	-	0,047	mg/kg
	with reference to: dry weight			
	sewage treatment plant	-	10	mg/L
	secondary poisoning	-	55	mg/kg



Trade name: masteroil Diesel Systemreiniger

Product no.: 1717

Current version: 1.0.1, issued: 21.04.2022 Replaced version: 1.0.0, issued: 21.07.2021 Region: IE

with reference to: food

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol, vapour and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. combination filter

Respirator EN14387-A

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material In case of short-term contact / splash protection: PVC

Material thickness 0,8 mm
Breakthrough time 4 h

Other

Normal chemical work clothing.

Appropriate Material cotton

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation				
liquid				
Form/Colour				
liquid				
Various, depending on coloration				
Odour				
No data available				
pH value				
No data available				
Boiling point / boiling range				
Value	>	160	°C	
Melting point/freezing point				
No data available				
Decomposition temperature				
No data available				
Flash point				
Value	>	61	°C	
Ignition temperature				
No data available				



Trade name: masteroil Diesel Systemreiniger

Product no.: 1717

Current version: 1.0.1, issued: 21.04.2022 Replaced version: 1.0.0, issued: 21.07.2021 Region: IE

	ah:1:4,	
Flamm	เสมเแบ	V

No data available

Lower explosion limit

No data available

Upper explosion limit

No data available

Vapour pressure

No data available

Relative vapour density

No data available

Relative density

No data available

Density

No data available

Solubility

No data available

Part	Partition coefficient n-octanol/water (log value)					
No	Substance name		CAS no.		EC no.	
1	2-ethylhexyl nitrate		27247-96-7		248-363-6	
log I	Pow			5,24		
Met	hod	OECD 117				
Sou	rce	ECHA				
2	2-ethylhexan-1-ol		104-76-7		203-234-3	
log I	Pow			2,9		
Refe	erence temperature			25	°C	
Method		OECD 117				
Sou	rce	ECHA				

Kinematic viscosity				
Value	<	20,5	mm²/s	
Reference temperature		40	°C	
Туре	kinematic			

Particle characteristics

No data available

9.2 Other information

Other informatio	n
------------------	---

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Dangerous reactions are not expected if the product is handled according to its intended use.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

10.5 Incompatible materials

None known.



Trade name: masteroil Diesel Systemreiniger

Product no.: 1717

Current version: 1.0.1, issued: 21.04.2022 Replaced version: 1.0.0, issued: 21.07.2021 Region: IE

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	Acute oral toxicity (result of the ATE calculation for the mixture)				
No	Product Name				
1	masteroil Diesel Systemreiniger				
Com	ments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).			

Acu	Acute oral toxicity				
No	Substance name		CAS no.		EC no.
1	Hydrocarbons, C14-C18, n-alkanes, isoal cyclics, aromatics (2-30 %)	lkanes,	-		920-360-0
LD5	0	>		4150	mg/kg bodyweight
Spec	cies	rat			
Meth	nod	OECD 423			
Soul	rce	ECHA			
2	2-ethylhexan-1-ol		104-76-7		203-234-3
LD5	0			2047	mg/kg bodyweight
Spec	cies	rat			
Method		OECD 401			
Soul	rce	ECHA			
Eval	uation/classification	Based on ava	ailable data, th	e classificatio	on criteria are not met.

Acu	Acute dermal toxicity (result of the ATE calculation for the mixture)			
No	Product Name			
1	masteroil Diesel Systemreiniger			
Com	ments	The result of the applied calculation method according to the		
		European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part		
3 of Annex I is outside the values that imply a classif		3 of Annex I is outside the values that imply a classification / labelling		
		of this mixture according to table 3.1.1 defining the respective		
		categories (ATE dermal > 2000 mg/kg).		

Acu	Acute dermal toxicity				
No	Substance name		CAS no.		EC no.
1	Hydrocarbons, C14-C18, n-alkanes, isoal cyclics, aromatics (2-30 %)	kanes,	•		920-360-0
LD5	0	>		2000	mg/kg bodyweight
Spe	cies	rabbit			
Metl	nod	OECD 402			
Sou	rce	ECHA / Read	across		
2	2-ethylhexan-1-ol		104-76-7		203-234-3
LD5	0	>		3000	mg/kg bodyweight
Spe	cies	rabbit			
Metl	nod	OECD 402			
Sou	rce	ECHA			
Eva	luation/classification	Based on ava	ailable data, the	e classificati	on criteria are not met.

Acu	Acute inhalational toxicity (result of the ATE calculation for the mixture)			
No	Product Name			
1	masteroil Diesel Systemreiniger			



Trade name: masteroil Diesel Systemreiniger

Product no.: 1717

Current version: 1.0.1, issued: 21.04.2022 Replaced version: 1.0.0, issued: 21.07.2021 Region: IE

Comments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part
	3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE for inhalation: > 20.000 ppmV (gases), > 20 mg/l (vapours), > 5 mg/l (dusts/mists).

Acu	Acute inhalational toxicity				
No	Substance name		CAS no.		EC no.
1	Hydrocarbons, C14-C18, n-alkanes, isoal	kanes,	-		920-360-0
	cyclics, aromatics (2-30 %)				
LC5	0	>		5,28	mg/l
Dura	ation of exposure			4	h
State	e of aggregation	Vapour			
Spe	cies	rat			
Meth	nod	OECD 403			
Soul	rce	ECHA / Read	across		
Eval	uation/classification	Based on ava	ailable data,	the classification	on criteria are not met.
2	2-ethylhexan-1-ol		104-76-7		203-234-3
LC5	0	1,1		- 4,3	mg/l
Dura	ation of exposure			4	h
State	e of aggregation	Dust/mist			
Spe	cies	rat			
Meth	nod	OECD 403			
Soul	rce	ECHA			
Eval	uation/classification	Based on ava	ailable data,	the classification	on criteria are met.

Skin corrosion/irritation			
No	Substance name	CAS no.	EC no.
1	Hydrocarbons, C14-C18, n-alkanes, isoal	kanes, -	920-360-0
	cyclics, aromatics (2-30 %)		
Spec	cies	rabbit	
Meth	nod	OECD 404	
Sou	rce	ECHA / Read across	
Eval	uation	non-irritant	
Eval	uation/classification	Based on available data, the classification	criteria are met.
2	2-ethylhexan-1-ol	104-76-7	203-234-3
Spec	cies	rabbit	
Meth	nod	OECD 404	
Soul	rce	ECHA	
Eval	uation	irritant	
Eval	uation/classification	Based on available data, the classification	criteria are met.

Serious eye damage/irritation		
No Substance name	CAS no.	EC no.
1 Hydrocarbons, C14-C18, n-alkanes, iso- cyclics, aromatics (2-30 %)	alkanes, -	920-360-0
Species	rabbit	
Method	OECD 405	
Source	ECHA / Read across	
Evaluation	non-irritant	
Evaluation/classification	Based on available data, the cl	lassification criteria are not met.
2 2-ethylhexan-1-ol	104-76-7	203-234-3
Species	rabbit	
Method	OECD 405	
Source	ECHA	
Evaluation	Irritating to eyes	
Evaluation/classification	Based on available data, the cl	lassification criteria are met.

Res	piratory or skin sensitisation		
No	Substance name	CAS no.	EC no.



Trade name: masteroil Diesel Systemreiniger

Product no.: 1717

Current version: 1.0.1, issued: 21.04.2022 Replaced version: 1.0.0, issued: 21.07.2021 Region: IE

1 Hydrocarbons, C14-C18, n-alkanes, isoa cyclics, aromatics (2-30 %)	lkanes, - 920-360-0
Route of exposure	Skin
Species	guinea pig
Method	OECD 406
Source	ECHA / Read across
Evaluation	non-sensitizing
Evaluation/classification	Based on available data, the classification criteria are not met.

Ger	Germ cell mutagenicity				
No	Substance name	CAS no.	EC no.		
1	Hydrocarbons, C14-C18, n-alkanes, isoall cyclics, aromatics (2-30 %)	kanes, -	920-360-0		
Source		ECHA / Read across			
Evaluation/classification		Based on available data, the classification criteria are not met.			

Rep	Reproduction toxicity				
No	Substance name	CAS no.	EC no.		
1	Hydrocarbons, C14-C18, n-alkanes, isoall cyclics, aromatics (2-30 %)	kanes, -	920-360-0		
Source		ECHA / Read across			
Evaluation/classification Based on ava		Based on available data, the cla	ssification criteria are not met.		

Carcinogenicity								
No	Substance name	CAS no.	EC no.					
1	Hydrocarbons, C14-C18, n-alkanes, isoal cyclics, aromatics (2-30 %)	kanes, -	920-360-0					
Source		ECHA / Read across						
Evaluation/classification		Based on available data, the classification criteria are not met.						

STOT - single exposure	
No data available	

STO	STOT - repeated exposure							
No	Substance name	CAS no.	EC no.					
1	Hydrocarbons, C14-C18, n-alkanes, isoal cyclics, aromatics (2-30 %)	kanes, -	920-360-0					
Sou	rce	ECHA / Read across						
Eval	uation/classification	Based on available data, the class	ssification criteria are not met.					

Aspiration hazard	
Aspiration nazara	
No data available	

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxi	Toxicity to fish (acute)							
No	Substance name		CAS no.	EC no.				
1	2-ethylhexyl nitrate		27247-96-7	248-363-6				
LC5	0		2	mg/l				
Duration of exposure			96	h				
Species		Danio rerio						
Method		OECD 203						
Sou	rce	ECHA						



Trade name: masteroil Diesel Systemreiniger

Product no.: 1717

Current version : 1.0.1, issued: 21.04.2022 Replaced version: 1.0.0, issued: 21.07.2021 Region: IE

2 hydrocarbons, C10, aromatics, <1% naph	Phydrocarbons, C10, aromatics, <1% naphthalene - 918-811-1				
LL50	>= 2 -	5	mg/l		
Duration of exposure		96	h		
Species	Oncorhynchus mykiss				
Method	OECD 203				
Source	ECHA				
3 2-ethylhexan-1-ol	104-76-7		203-234-3		
LC50		17,1	mg/l		
Duration of exposure		96	h		
Species	Leuciscus idus melanotus				
Source	ECHA				

Toxicity to fish (chronic)

No data available

Toxi	Toxicity to Daphnia (acute)					
No	Substance name		CAS no.		EC no.	
1	2-ethylhexyl nitrate		27247-96-7		248-363-6	
EC50)	>		12,6	mg/l	
Dura	tion of exposure			48	h	
Spec	cies	Daphnia mag	na			
Meth	od	OECD 202				
Sour	ce	ECHA				
2	hydrocarbons, C10, aromatics, <1% naph	nthalene	-		918-811-1	
EL50		>= 3	-	10	mg/l	
Dura	tion of exposure			48	h	
Spec	cies	Daphnia mag	na			
Meth	od	OECD 202				
Sour	ce	ECHA				
3	2-ethylhexan-1-ol		104-76-7		203-234-3	
EC50)			39	mg/l	
Duration of exposure				48	h ¯	
		Daphnia mag	na			
Sour	ce	ECHA				

Toxicity to Daphnia (chronic) No data available

Toxicity to algae (acute)					
No Substance name	CAS no.		EC no.		
1 2-ethylhexyl nitrate	27247-96-7		248-363-6		
EC50		1,57	mg/l		
Duration of exposure		72	h		
Species	Pseudokirchneriella subcapit	ata			
Method	OECD 201				
Source	ECHA				
2 hydrocarbons, C10, aromatics, <1% nap	hthalene -		918-811-1		
EL50	>= 1 -	3	mg/l		
Duration of exposure		72	h		
Species	Pseudokirchneriella subcapit	ata			
Method	OECD 201				
Source	ECHA				
3 2-ethylhexan-1-ol	104-76-7		203-234-3		
EC50		11,5	mg/l		
Duration of exposure		72	h		
Species	Desmodesmus subspicatus				
Source	ECHA				

Toxicity to algae (chronic)	
No data available	



Trade name: masteroil Diesel Systemreiniger

Product no.: 1717

Current version: 1.0.1, issued: 21.04.2022 Replaced version: 1.0.0, issued: 21.07.2021 Region: IE

Bacteria toxicity
No data available

12.2 Persistence and degradability

	ersisterice and degradability						
Biod	Biodegradability						
No	Substance name		CAS no.		EC no.		
1	hydrocarbons, C10, aromatics, <1% nap	hthalene ·			918-811-1		
Туре)	COD					
Valu	e			49,56	%		
Dura	ition			28	day(s)		
Method		OECD 301 F			• ,		
Source		ECHA					
Eval	uation	not readily biod	degradable				
2	2-ethylhexan-1-ol	,	104-76-7		203-234-3		
Туре		aerobic biodeg	radation				
Valu	e	79	-	99,9	%		
Dura	ition			2	week/s		
Meth	nod	OECD 301 C					
Soul	ce	ECHA					
Eval	uation	readily biodegr	adable				

12.3 Bioaccumulative potential

	2 Dioacountaian o potentia							
Part	Partition coefficient n-octanol/water (log value)							
No	Substance name		CAS no.		EC no.			
1	2-ethylhexyl nitrate		27247-96-7		248-363-6			
log Pow				5,24				
Met	Method							
Sou	Source							
2	2-ethylhexan-1-ol		104-76-7		203-234-3			
log I	Pow			2,9				
Reference temperature				25	°C			
Method		OECD 117						
Sou	rce	ECHA						

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment				
PBT assessment	No data available.			
vPvB assessment	No data available.			

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information	
Do not discharge product unmonitored into the environment.	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging



Trade name: masteroil Diesel Systemreiniger

Product no.: 1717

Current version: 1.0.1, issued: 21.04.2022 Replaced version: 1.0.0, issued: 21.07.2021 Region: IE

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 3

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.



Trade name: masteroil Diesel Systemreiniger

Product no.: 1717

Current version: 1.0.1, issued: 21.04.2022 Replaced version: 1.0.0, issued: 21.07.2021 Region: IE

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these

EUH044 Risk of explosion if heated under confinement.

H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H315 Causes skin irritation.
H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.
H411 Toxic to aquatic life with long lasting effects.

Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 778314