

**Trade name:** masteroil Benzin Systemreiniger

**Product no.:** 1118

**Current version :** 1.0.1, issued: 21.04.2022

**Replaced version:** 1.0.0, issued: 21.07.2021

**Region:** IE

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Trade name**

**masteroil Benzin Systemreiniger**

**UFI:**

**0NU5-A06G-Y007-SQK5**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses of the substance or mixture**

Additive for mineral oil products

**Uses advised against**

No data available.

### 1.3 Details of the supplier of the safety data sheet

**Address**

Masteroil GmbH  
Stockholmer Allee 30 b  
44269 Dortmund

Telephone no. 0231 444 247 64  
e-mail info@masteroil.com

**Advice on Safety Data Sheet**

sdb\_info@umco.de

### 1.4 Emergency telephone number

+353 1 809 2166 (National Poisons Information Centre)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification in accordance with Regulation (EC) No 1272/2008 (CLP)**

Aquatic Chronic 3; H412

Asp. Tox. 1; H304

Skin Sens. 1; H317

**Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

### 2.2 Label elements

**Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)**

**Hazard pictograms**



GHS07



GHS08

**Signal word**

Danger

**Hazardous component(s) to be indicated on label:**

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

**Trade name:** masteroil Benzin Systemreiniger**Product no.:** 1118**Current version :** 1.0.1, issued: 21.04.2022**Replaced version:** 1.0.0, issued: 21.07.2021**Region:** IE

Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %)  
(tetrapropenyl)succinic acid

**Hazard statement(s)**

H304 May be fatal if swallowed and enters airways.  
H317 May cause an allergic skin reaction.  
H412 Harmful to aquatic life with long lasting effects.

**Hazard statements (EU)**

EUH066 Repeated exposure may cause skin dryness or cracking.

**Precautionary statement(s)**

P280 Wear protective gloves/eye protection.  
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.  
P331 Do NOT induce vomiting.

**UFI:**

0NU5-A06G-Y007-SQK5

**2.3 Other hazards**

PBT assessment  
No data available.  
vPvB assessment  
No data available.

**SECTION 3: Composition/information on ingredients****3.1 Substances**

Not applicable. The product is not a substance.

**3.2 Mixtures****Hazardous ingredients**

No	Substance name	Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration %
1	<b>Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)</b>		
	- 925-653-7 - 01-2119458869-15	EUH066 Asp. Tox. 1; H304 Aquatic Chronic 3; H412	>= 25,00 - < 50,00 wt%
2	<b>Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %)</b>		
	- 920-360-0 - 01-2119448343-41	Asp. Tox. 1; H304 EUH066	>= 25,00 - < 50,00 wt%
3	<b>SOLVENT NAPHTHA (PETROLEUM), HEAVY AROMATIC</b>		
	64742-94-5 265-198-5 649-424-00-3 -	Aquatic Chronic 2; H411 Asp. Tox. 1; H304 EUH066 STOT SE 3; H336	>= 5,00 - < 10,00 wt%
4	<b>Polyether polyol</b>		
	- - - -	Aquatic Chronic 3; H412	>= 5,00 - < 10,00 wt%
5	<b>Polyolefin alkyl phenol alkyl amine</b>		

**Trade name:** masteroil Benzin Systemreiniger**Product no.:** 1118**Current version :** 1.0.1, issued: 21.04.2022**Replaced version:** 1.0.0, issued: 21.07.2021**Region:** IE

	- - - -	Skin Irrit. 2; H315	>= 5,00 - < 10,00	wt%
6	<b>1,2,4-trimethylbenzene</b>			
	95-63-6 202-436-9 601-043-00-3 -	Acute Tox. 4*; H332 Aquatic Chronic 2; H411 Eye Irrit. 2; H319 Flam. Liq. 3; H226 Skin Irrit. 2; H315 STOT SE 3; H335	< 2,50	wt%
7	<b>naphthalene</b>			
	91-20-3 202-049-5 601-052-00-2 -	Acute Tox. 4*; H302 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Carc. 2; H351	< 1,00	wt%
8	<b>(tetrapropenyl)succinic acid</b>			
	27859-58-1 248-698-8 - -	Aquatic Chronic 4; H413 Eye Irrit. 2; H319 Skin Irrit. 2; H315 Skin Sens. 1A; H317	< 0,50	wt%

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(\*, \*\*, \*\*\*, \*\*\*\*) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

Acute toxicity estimate (ATE) values			
No	oral	dermal	inhalative
7	533 mg/kg bodyweight		

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. If the patient is likely to become unconscious, place and transport in stable sideways position. In case of persisting adverse effects, consult a physician.

#### After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air.

#### After skin contact

In case of contact with skin wash off immediately with soap and water.

#### After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

#### After ingestion

Do not induce vomiting - aspiration hazard. Rinse the mouth thoroughly with water. Never give anything by mouth to an unconscious person. If individual is drowsy or unconscious, place in recovery position (on left side, with head down).

### 4.2 Most important symptoms and effects, both acute and delayed

No data available.

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Water spray jet; Foam; Carbon dioxide; Extinguishing powder

**Trade name:** masteroil Benzin Systemreiniger

**Product no.:** 1118

**Current version :** 1.0.1, issued: 21.04.2022

**Replaced version:** 1.0.0, issued: 21.07.2021

**Region:** IE

**Unsuitable extinguishing media**

High power water jet

**5.2 Special hazards arising from the substance or mixture**

In the event of fire, the following can be released: Carbon dioxide (CO<sub>2</sub>); Carbon dioxide (CO<sub>2</sub>); Vapours are heavier than air and may spread near ground to sources of ignition. May travel considerable distance to source of ignition and flash back.

**5.3 Advice for firefighters**

Use self-contained breathing apparatus. Wear protective clothing. Cool endangered containers with water spray jet. Do not allow run-off from fire fighting to enter drains or water courses.

## SECTION 6: Accidental release measures

**6.1 Personal precautions, protective equipment and emergency procedures**

**For non-emergency personnel**

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Keep away from ignition sources.

**For emergency responders**

No data available. Personal protective equipment (PPE) - see Section 8.

**6.2 Environmental precautions**

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

**6.3 Methods and material for containment and cleaning up**

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). When collected, handle material as described under the section heading "Disposal considerations".

**6.4 Reference to other sections**

No data available.

## SECTION 7: Handling and storage

**7.1 Precautions for safe handling**

**Advice on safe handling**

Provide good ventilation at the work area (local exhaust ventilation, if necessary). If workplace exposure limits are exceeded, respiratory protection approved for this particular job must be worn. Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

**General protective and hygiene measures**

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Wash hands before breaks and after work.

**Advice on protection against fire and explosion**

Keep away from sources of heat and ignition.

**7.2 Conditions for safe storage, including any incompatibilities**

**Technical measures and storage conditions**

Keep container tightly closed in a cool, well-ventilated place.

**Recommended storage temperature**

Value < 50 °C

**Requirements for storage rooms and vessels**

Containers which are opened must be carefully closed and kept upright to prevent leakage. Keep only in the original container. Protect from heat and direct sunlight.

**Incompatible products**

Do not store together with: Acids; Alkalies; oxidizing agents

**7.3 Specific end use(s)**

**Trade name:** masteroil Benzin Systemreiniger**Product no.:** 1118**Current version :** 1.0.1, issued: 21.04.2022**Replaced version:** 1.0.0, issued: 21.07.2021**Region:** IE

No data available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Occupational exposure limit values**

No	Substance name	CAS no.	EC no.
1	<b>1,2,4-trimethylbenzene</b>	<b>95-63-6</b>	<b>202-436-9</b>
	<b>2000/39/EC</b>		
	1,2,4-Trimethylbenzene		
	WEL long-term (8-hr TWA reference period)	100 mg/m <sup>3</sup>	20 ppm
	<b>List of Chemical Agents and Occupational Exposure Limit Values (Code of Practice)</b>		
	1,2,4-Trimethylbenzene		
	WEL long-term (8-hr TWA reference period)	100 mg/m <sup>3</sup>	20 ppm
	Comments	IOELV	
2	<b>naphthalene</b>	<b>91-20-3</b>	<b>202-049-5</b>
	<b>91/322/EWG</b>		
	Naphtalene		
	WEL long-term (8-hr TWA reference period)	50 mg/m <sup>3</sup>	10 ppm
	<b>List of Chemical Agents and Occupational Exposure Limit Values (Code of Practice)</b>		
	Naphthalene		
	WEL long-term (8-hr TWA reference period)	50 mg/m <sup>3</sup>	10 ppm
	Comments	IOELV	

**8.2 Exposure controls****Appropriate engineering controls**

No data available.

**Personal protective equipment****Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol, vapour and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. combination filter

Respirator EN14387-A

**Eye / face protection**

Safety glasses with side protection shield (EN 166)

**Hand protection**

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material In case of short-term contact / splash protection: PVC

Material thickness 0,8 mm

Breakthrough time 4 h

**Other**

Normal chemical work clothing.

Appropriate Material cotton

**Environmental exposure controls**

No data available.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

**Trade name:** masteroil Benzin Systemreiniger**Product no.:** 1118**Current version :** 1.0.1, issued: 21.04.2022**Replaced version:** 1.0.0, issued: 21.07.2021**Region:** IE

<b>State of aggregation</b>			
liquid			
<b>Form/Colour</b>			
liquid			
Various, depending on coloration			
<b>Odour</b>			
No data available			
<b>pH value</b>			
No data available			
<b>Boiling point / boiling range</b>			
Value	>	160	°C
<b>Melting point/freezing point</b>			
No data available			
<b>Decomposition temperature</b>			
No data available			
<b>Flash point</b>			
Value	>	61	°C
<b>Ignition temperature</b>			
No data available			
<b>Flammability</b>			
No data available			
<b>Lower explosion limit</b>			
No data available			
<b>Upper explosion limit</b>			
No data available			
<b>Vapour pressure</b>			
No data available			
<b>Relative vapour density</b>			
No data available			
<b>Relative density</b>			
No data available			
<b>Density</b>			
No data available			
<b>Solubility</b>			
No data available			
<b>Partition coefficient n-octanol/water (log value)</b>			
No data available			
<b>Kinematic viscosity</b>			
Value	<	20,5	mm²/s
Reference temperature		40	°C
Type	kinematic		
<b>Particle characteristics</b>			
No data available			

**9.2 Other information**

<b>Other information</b>			
No data available.			

**Trade name:** masteroil Benzin Systemreiniger**Product no.:** 1118**Current version :** 1.0.1, issued: 21.04.2022**Replaced version:** 1.0.0, issued: 21.07.2021**Region:** IE**SECTION 10: Stability and reactivity****10.1 Reactivity**

Dangerous reactions are not expected if the product is handled according to its intended use.

**10.2 Chemical stability**

Stable under recommended storage and handling conditions (See section 7).

**10.3 Possibility of hazardous reactions**

Dangerous reactions are not to be expected when handling product according to its intended use.

**10.4 Conditions to avoid**

Heat, naked flames and other ignition sources.

**10.5 Incompatible materials**

None known.

**10.6 Hazardous decomposition products**

No hazardous decomposition products known.

**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %)	-	920-360-0
LD50	>	4150	mg/kg bodyweight
Species	rat		
Method	OECD 423		
Source	ECHA		
2	naphthalene	91-20-3	202-049-5
LD50	>	533	mg/kg bodyweight
Species	rat		
Source	ECHA		

Acute dermal toxicity			
No	Substance name	CAS no.	EC no.
1	Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %)	-	920-360-0
LD50	>	2000	mg/kg bodyweight
Species	rabbit		
Method	OECD 402		
Source	ECHA / Read across		

Acute inhalational toxicity (result of the ATE calculation for the mixture)	
No	Product Name
1	masteroil Benzin Systemreiniger
Comments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE for inhalation: > 20.000 ppmV (gases), > 20 mg/l (vapours), > 5 mg/l (dusts/mists).

Acute inhalational toxicity			
No	Substance name	CAS no.	EC no.
1	Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %)	-	920-360-0
LC50	>	5,28	mg/l

**Trade name:** masteroil Benzin Systemreiniger**Product no.:** 1118**Current version :** 1.0.1, issued: 21.04.2022**Replaced version:** 1.0.0, issued: 21.07.2021**Region:** IE

Duration of exposure	4 h
State of aggregation	Vapour
Species	rat
Method	OECD 403
Source	ECHA / Read across
Evaluation/classification	Based on available data, the classification criteria are not met.

Skin corrosion/irritation			
No	Substance name	CAS no.	EC no.
1	Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %)	-	920-360-0
Species	rabbit		
Method	OECD 404		
Source	ECHA / Read across		
Evaluation	non-irritant		
Evaluation/classification	Based on available data, the classification criteria are met.		

Serious eye damage/irritation			
No	Substance name	CAS no.	EC no.
1	Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %)	-	920-360-0
Species	rabbit		
Method	OECD 405		
Source	ECHA / Read across		
Evaluation	non-irritant		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Respiratory or skin sensitisation			
No	Substance name	CAS no.	EC no.
1	Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %)	-	920-360-0
Route of exposure	Skin		
Species	guinea pig		
Method	OECD 406		
Source	ECHA / Read across		
Evaluation	non-sensitizing		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Germ cell mutagenicity			
No	Substance name	CAS no.	EC no.
1	Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %)	-	920-360-0
Source	ECHA / Read across		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Reproduction toxicity			
No	Substance name	CAS no.	EC no.
1	Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %)	-	920-360-0
Source	ECHA / Read across		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Carcinogenicity			
No	Substance name	CAS no.	EC no.
1	Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %)	-	920-360-0
Source	ECHA / Read across		
Evaluation/classification	Based on available data, the classification criteria are not met.		

STOT - single exposure	
No data available	



**Trade name:** masteroil Benzin Systemreiniger**Product no.:** 1118**Current version :** 1.0.1, issued: 21.04.2022**Replaced version:** 1.0.0, issued: 21.07.2021**Region:** IE

STOT - repeated exposure			
No	Substance name	CAS no.	EC no.
1	Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %)	-	920-360-0
Source		ECHA / Read across	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Aspiration hazard			
No data available			

**11.2 Information on other hazards****Endocrine disrupting properties**

No data available.

**Other information**

No data available.

**SECTION 12: Ecological information****12.1 Toxicity**

Toxicity to fish (acute)	
No data available	
Toxicity to fish (chronic)	
No data available	
Toxicity to Daphnia (acute)	
No data available	
Toxicity to Daphnia (chronic)	
No data available	
Toxicity to algae (acute)	
No data available	
Toxicity to algae (chronic)	
No data available	
Bacteria toxicity	
No data available	

**12.2 Persistence and degradability**

No data available.

**12.3 Bioaccumulative potential**

No data available.

**12.4 Mobility in soil**

No data available.

**12.5 Results of PBT and vPvB assessment**

Results of PBT and vPvB assessment	
PBT assessment	No data available.
vPvB assessment	No data available.

**12.6 Endocrine disrupting properties**

No data available.

**12.7 Other adverse effects**

No data available.

**12.8 Other information**

Other information
-------------------

**Trade name:** masteroil Benzin Systemreiniger**Product no.:** 1118**Current version :** 1.0.1, issued: 21.04.2022**Replaced version:** 1.0.0, issued: 21.07.2021**Region:** IE

Do not discharge product unmonitored into the environment.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Product**

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

**Packaging**

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

**SECTION 14: Transport information****14.1 Transport ADR/RID/ADN**

The product is not subject to ADR/RID/ADN regulations.

**14.2 Transport IMDG**

The product is not subject to IMDG regulations.

**14.3 Transport ICAO-TI / IATA**

The product is not subject to ICAO-TI / IATA regulations.

**14.4 Other information**

No data available.

**14.5 Environmental hazards**

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

**14.6 Special precautions for user**

No data available.

**14.7 Maritime transport in bulk according to IMO instruments**

Not relevant

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations****Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

**REACH candidate list of substances of very high concern (SVHC) for authorisation**

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

**Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES**

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 3

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	1,2,4-trimethylbenzene	95-63-6	202-436-9	75
2	naphthalene	91-20-3	202-049-5	75

**Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances**

**Trade name:** masteroil Benzin Systemreiniger

**Product no.:** 1118

**Current version :** 1.0.1, issued: 21.04.2022

**Replaced version:** 1.0.0, issued: 21.07.2021

**Region:** IE

This product is not subject to Part 1 or 2 of Annex I.

## 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

## SECTION 16: Other information

### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

### Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

### Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: [umco@umco.de](mailto:umco@umco.de)

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 778303