

Trade name: masteroil Diesel Anti-Ruß-Additiv

Product no.: 1785

Current version: 1.0.2, issued: 21.04.2022 Replaced version: 1.0.1, issued: 17.01.2022 Region: IE

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade name

masteroil Diesel Anti-Ruß-Additiv

PPV5-D0G8-N005-QTKQ

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Additive for mineral oil products

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

Masteroil GmbH Stockholmer Allee 30 b 44269 Dortmund

Telephone no. 0231 444 247 64 e-mail info@masteroil.com

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 **Emergency telephone number**

+353 1 809 2166 (National Poisons Information Centre)

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Acute Tox. 4; H302 Aquatic Chronic 2; H411 Asp. Tox. 1; H304

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



GHS07



Signal word

Hazardous component(s) to be indicated on label:

2-ethylhexyl nitrate



Trade name: masteroil Diesel Anti-Ruß-Additiv

Product no.: 1785

Current version: 1.0.2, issued: 21.04.2022 Replaced version: 1.0.1, issued: 17.01.2022 Region: IE

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %)

Hazard statement(s)

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.
H411 Toxic to aquatic life with long lasting effects.

Hazard statements (EU)

EUH066 Repeated exposure may cause skin dryness or cracking.

Precautionary statement(s)

P273 Avoid release to the environment.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

P391 Collect spillage.

UFI:

PPV5-D0G8-N005-QTKQ

2.3 Other hazards

PBT assessment No data available. vPvB assessment No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

| No | Substance name | | Addit | ional informatio | n | |
|----|--|---|-------|------------------|-------|-----|
| | CAS / EC / Index / REACH no | Classification (EC) 1272/2008 (CLP) | Conc | entration | | % |
| 1 | 2-ethylhexyl nitrate | | | | | |
| | 27247-96-7 248-363-6 - 01-2119539586-27 | Acute Tox. 4; H302 Acute Tox. 4; H312 Acute Tox. 4; H332 Aquatic Chronic 2; H411 EUH044 EUH066 | >= | 25,00 - < | 50,00 | wt% |
| 2 | Hydrocarbons, C11 (2-25%) | -C14, n-alkanes, isoalkanes, cyclics, aromatics | | | | |
| | - 925-653-7 - 01-2119458869-15 | EUH066 Asp. Tox. 1; H304 Aquatic Chronic 3; H412 | >= | 25,00 - < | 50,00 | wt% |
| 3 | Hydrocarbons, C14 (2-30 %) | -C18, n-alkanes, isoalkanes, cyclics, aromatics | | | | |
| | 920-360-0 - 01-2119448343-41 | Asp. Tox. 1; H304 EUH066 | >= | 25,00 - < | 50,00 | wt% |
| 4 | hydrocarbons, C10 | , aromatics, <1% naphthalene | | | | |
| | - 918-811-1 - 01-2119463583-34 | Aquatic Chronic 2; H411 Asp. Tox. 1; H304 EUH066 STOT SE 3; H336 | < | 5,00 | | wt% |
| 5 | 2-ethylhexan-1-ol | | | | | |



Trade name: masteroil Diesel Anti-Ruß-Additiv

Product no.: 1785

Current version: 1.0.2, issued: 21.04.2022 Replaced version: 1.0.1, issued: 17.01.2022 Region: IE

| | 104-76-7 203-234-3 - 01-2119487289-20 | Eye Irrit. 2; H319 Skin Irrit. 2; H315 STOT SE 3; H335 Acute Tox. 4; H332 | < | 2,50 | wt% |
|---|--|--|---|------|-----|
| 6 | ferrocene | Note Text 1, 1100E | | | |
| | 102-54-5 203-039-3 - - | Acute Tox. 4; H302 Acute Tox. 4; H332 Aquatic Chronic 1; H410 Flam. Sol. 1; H228 Repr. 1B; H360 STOT RE 2; H373 | < | 0,50 | wt% |

Full Text for all H-phrases and EUH-phrases; pls. see section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. If the patient is likely to become unconscious, place and transport in stable sideways position. In case of persisting adverse effects, consult a physician.

After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air.

After skin contact

In case of contact with skin wash off immediately with soap and water.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

After ingestion

Do not induce vomiting - aspiration hazard. Rinse the mouth thoroughly with water. Never give anything by mouth to an unconscious person. If individual is drowsy or unconscious, place in recovery position (on left side, with head down).

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray jet; Foam; Carbon dioxide; Extinguishing powder

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO2); Carbon dioxide (CO2); Vapours are heavier than air and may spread near ground to sources of ignition. May travel considerable distance to source of ignition and flash back.

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Cool endangered containers with water spray jet. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



Trade name: masteroil Diesel Anti-Ruß-Additiv

Product no.: 1785

Current version: 1.0.2, issued: 21.04.2022 Replaced version: 1.0.1, issued: 17.01.2022 Region: IE

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Keep away from ignition sources.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). When collected, handle material as described under the section heading "Disposal considerations".

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Provide good ventilation at the work area (local exhaust ventilation, if necessary). If workplace exposure limits are exceeded, respiratory protection approved for this particular job must be worn. Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Wash hands before breaks and after work.

Advice on protection against fire and explosion

Keep away from sources of heat and ignition.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place.

Recommended storage temperature

Value < 50 °C

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Keep only in the original container. Protect from heat and direct sunlight.

Incompatible products

Do not store together with: Acids; Alkalies; oxidizing agents

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

| No | Substance name | CAS no. | | EC no. | |
|----|---|----------------|---------------|-----------|-----|
| 1 | 2-ethylhexan-1-ol | 104-76-7 | | 203-234-3 | |
| | 2017/164/EU | | | | |
| | 2-ethylhexan-1-ol | | | | |
| | WEL long-term (8-hr TWA reference period) | 5,4 | mg/m³ | 1 | ppm |
| | List of Chemical Agents and Occupational Exposure | e Limit Values | (Code of Prac | tice) | |
| | 2-Ethylhexan-1-ol | | | | |



Trade name: masteroil Diesel Anti-Ruß-Additiv

Product no.: 1785

Current version: 1.0.2, issued: 21.04.2022 Replaced version: 1.0.1, issued: 17.01.2022 Region: IE

| | WEL long-term (8-hr TWA reference period) | 5,4 | mg/m³ | 1 | ppm |
|---|---|----------|-------|-----------|-----|
| | Comments | IOELV | | | |
| 2 | ferrocene | 102-54-5 | | 203-039-3 | |
| | List of Chemical Agents and Occupational Exposure Limit Values (Code of Practice) | | | | |
| | Ferrocene | | | | |
| | WEL long-term (8-hr TWA reference period) | 10 | mg/m³ | | |

DNEL, DMEL and PNEC values

DNEL values (worker)

| No | Substance name | | | CAS / EC no | |
|----|---|---------------------|----------|-------------|-----------|
| | Route of exposure | Exposure time | Effect | Value | |
| 1 | 2-ethylhexyl nitrate | | | 27247-96-7 | |
| | | | | 248-363-6 | |
| | dermal | Long term (chronic) | systemic | 1 | mg/kg/day |
| | dermal | Long term (chronic) | local | 44 | μg/cm² |
| | inhalative | Long term (chronic) | systemic | 0.35 | mg/m³ |
| 2 | hydrocarbons, C10, aromatics, <1% naphthalene | | | - | |
| | | | | 918-811-1 | |
| | dermal | Long term (chronic) | systemic | 12,5 | mg/kg/day |
| | inhalative | Long term (chronic) | systemic | 151 | mg/m³ |
| 3 | 2-ethylhexan-1-ol | | | 104-76-7 | |
| | | | | 203-234-3 | |
| | dermal | Long term (chronic) | systemic | 23 | mg/kg/day |
| | inhalative | Short term (acut) | local | 106,4 | mg/m³ |
| | inhalative | Long term (chronic) | systemic | 53,2 | mg/m³ |

DNEL value (consumer)

| No | Substance name | | | CAS / EC no | |
|----|-------------------------|------------------------|----------|-------------------------|-----------|
| | Route of exposure | Exposure time | Effect | Value | |
| 1 | 2-ethylhexyl nitrate | | | 27247-96-7 248-363-6 | |
| | oral | Long term (chronic) | systemic | 25 | μg/kg/day |
| | dermal | Long term (chronic) | systemic | 0.52 | mg/kg/day |
| | dermal | Long term (chronic) | local | 22 | μg/cm² |
| | inhalative | Long term (chronic) | systemic | 87 | μg/m³ |
| 2 | hydrocarbons, C10, arom | atics, <1% naphthalene | | - 918-811-1 | |
| | oral | Long term (chronic) | systemic | 7,5 | mg/kg/day |
| | dermal | Long term (chronic) | systemic | 7,5 | mg/kg/day |
| | inhalative | Long term (chronic) | systemic | 32 | mg/m³ |
| 3 | 2-ethylhexan-1-ol | | | 104-76-7 203-234-3 | |
| | oral | Long term (chronic) | systemic | 1,1 | mg/kg/day |
| | dermal | Long term (chronic) | systemic | 11,4 | mg/kg/day |
| | inhalative | Long term (chronic) | systemic | 2,3 | mg/m³ |
| | inhalative | Short term (acut) | local | 53,2 | mg/m³ |

PNEC values

| No | Substance name | | CAS / EC no | |
|----|------------------------|-----------------------|-------------|-----------|
| | ecological compartment | Туре | Value | |
| 1 | 2-ethylhexyl nitrate | | 27247-96-7 | |
| | | | 248-363-6 | |
| | water | fresh water | 0,8 | μg/L |
| | water | marine water | 0,08 | μg/L |
| | water | fresh water sediment | 0,00074 | mg/kg dry |
| | | | | weight |
| | water | marine water sediment | 0,00074 | mg/kg dry |
| | | | | weight |



Trade name: masteroil Diesel Anti-Ruß-Additiv

Product no.: 1785

Current version: 1.0.2, issued: 21.04.2022 Replaced version: 1.0.1, issued: 17.01.2022 Region: IE

| | soil | - | 0,000191 | mg/kg dry |
|---|-------------------------------|-----------------------|-----------|-----------|
| | | | | weight |
| | sewage treatment plant | - | 10 | mg/L |
| 2 | 2-ethylhexan-1-ol | | 104-76-7 | |
| | | | 203-234-3 | |
| | water | fresh water | 0,017 | mg/L |
| | water | marine water | 0,0017 | mg/L |
| | water | Aqua intermittent | 0,17 | mg/L |
| | water | fresh water sediment | 0,28 | mg/kg |
| | with reference to: dry weight | | | |
| | water | marine water sediment | 0,028 | mg/kg |
| | with reference to: dry weight | | | |
| | soil | - | 0,047 | mg/kg |
| | with reference to: dry weight | | | |
| | sewage treatment plant | - | 10 | mg/L |
| | secondary poisoning | - | 55 | mg/kg |
| | with reference to: food | | • | |

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol, vapour and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. combination filter

Respirator EN14387-A

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material In case of short-term contact / splash protection: PVC

Material thickness 0,8 mm
Breakthrough time 4 h

Other

Normal chemical work clothing.

Appropriate Material cotton

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| State of aggregation | |
|----------------------------------|--|
| liquid | |
| | |
| Form/Colour | |
| liquid | |
| Various, depending on coloration | |

Odour



Trade name: masteroil Diesel Anti-Ruß-Additiv

Product no.: 1785

Current version: 1.0.2, issued: 21.04.2022 Replaced version: 1.0.1, issued: 17.01.2022 Region: IE

| No data available | | | | |
|--|----------|------------|------|-----------|
| pH value | | | | |
| No data available | | | | |
| Boiling point / boiling range | | | | |
| Value | T> | 160 | °C | |
| | | 100 | | |
| Melting point/freezing point No data available | | | | |
| No data avaliable | | | | |
| Decomposition temperature | | | | |
| No data available | | | | |
| Flash point | | | | |
| Value | > | 61 | °C | |
| Ignition temperature | | | | |
| No data available | | | | |
| | | | | |
| Flammability No data available | | | | |
| | | | | |
| Lower explosion limit | | | | |
| No data available | | | | |
| Upper explosion limit | | | | |
| No data available | | | | |
| Vapour pressure | | | | |
| No data available | | | | |
| Relative vapour density | | | | |
| No data available | | | | |
| | | | | |
| Relative density No data available | | | | |
| No data avaliable | | | | |
| Density | | | | |
| No data available | | | | |
| Solubility | | | | |
| No data available | | | | |
| Partition coefficient n-octanol/water (log value | ie) | | | |
| No Substance name | | CAS no. | | EC no. |
| 1 2-ethylhexyl nitrate | | 27247-96-7 | | 248-363-6 |
| log Pow | | | 5,24 | |
| Method | OECD 117 | | | |
| Source 2 2-ethylhexan-1-ol | ECHA | 104 76 7 | | 203-234-3 |
| 2 2-ethylhexan-1-ol log Pow | | 104-76-7 | 2,9 | 203-234-3 |
| Reference temperature | | | 25 | °C |
| Method | OECD 117 | | | - |
| Source | ECHA | | | |

| Kinematic viscosity | | | | | |
|-----------------------|-----------|--|--|--|--|
| Value | 2 mm²/s | | | | |
| Reference temperature | 40 °C | | | | |
| Туре | kinematic | | | | |

| Particle characteristics | |
|--------------------------|--|
| No data available | |

9.2 Other information

Other information



Trade name: masteroil Diesel Anti-Ruß-Additiv

Product no.: 1785

Current version: 1.0.2, issued: 21.04.2022 Region: IE Replaced version: 1.0.1, issued: 17.01.2022

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Dangerous reactions are not expected if the product is handled according to its intended use.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

| Acu | Acute oral toxicity (result of the ATE calculation for the mixture) | | | | | |
|------|---|--|--|--|--|--|
| No | Product Name | | | | | |
| 1 | masteroil Diesel Anti-Ruß-Additiv | | | | | |
| ATE | ATE (Mixture) 1333,33 mg/kg | | | | | |
| Meth | Method Calculation method according Regulation (EC) No 1272/2008, | | | | | |
| | | (CLP), annex I, part 3, section 3.1.3.6. | | | | |

| Acu | Acute oral toxicity | | | | | |
|------|--|--------------|------------------|-----------------|--------------------------|--|
| No | Substance name | | CAS no. | | EC no. | |
| 1 | Hydrocarbons, C14-C18, n-alkanes, isoa cyclics, aromatics (2-30 %) | lkanes, | - | | 920-360-0 | |
| LD5 | 0 | > | | 4150 | mg/kg bodyweight | |
| Spe | cies | rat | | | | |
| Meth | nod | OECD 423 | | | | |
| Sou | rce | ECHA | | | | |
| 2 | 2-ethylhexan-1-ol | | 104-76-7 | | 203-234-3 | |
| LD5 | 0 | | | 2047 | mg/kg bodyweight | |
| Spe | cies | rat | | | | |
| Meth | nod | OECD 401 | | | | |
| Sou | rce | ECHA | | | | |
| Eval | uation/classification | Based on ava | ailable data, tl | he classificati | on criteria are not met. | |

| Acu | Acute dermal toxicity (result of the ATE calculation for the mixture) | | | | | |
|-----|--|---|--|--|--|--|
| No | Product Name | | | | | |
| 1 | masteroil Diesel Anti-Ruß-Additiv | | | | | |
| Con | nments | The result of the applied calculation method according to the | | | | |
| | | European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part | | | | |
| | 3 of Annex I is outside the values that imply a classification / labelling | | | | | |
| | of this mixture according to table 3.1.1 defining the respective | | | | | |
| | | categories (ATE dermal > 2000 mg/kg). | | | | |

| Acu | Acute dermal toxicity | | | | | |
|-----|--|---------|---------|------|------------------|--|
| No | Substance name | | CAS no. | | EC no. | |
| 1 | Hydrocarbons, C14-C18, n-alkanes, isoa cyclics, aromatics (2-30 %) | lkanes, | - | | 920-360-0 | |
| LD5 | 0 | > | | 2000 | mg/kg bodyweight | |



Trade name: masteroil Diesel Anti-Ruß-Additiv

Product no.: 1785

Current version: 1.0.2, issued: 21.04.2022 Replaced version: 1.0.1, issued: 17.01.2022 Region: IE

| Spe Metl Sou | nod | rabbit OECD 402 ECHA / Read across | | |
|--------------------|-----------------------|--|------------------|-------------------------|
| 2 | 2-ethylhexan-1-ol | 104-76-7 | | 203-234-3 |
| LD5 | 0 | > | 3000 | mg/kg bodyweight |
| Spe | cies | rabbit | | |
| Metl | nod | OECD 402 | | |
| Sou | rce | ECHA | | |
| Eva | uation/classification | Based on available data, the | e classification | n criteria are not met. |

| Acu | Acute inhalational toxicity (result of the ATE calculation for the mixture) | | | | | | |
|-----|---|---|--|--|--|--|--|
| No | Product Name | | | | | | |
| 1 | masteroil Diesel Anti-Ruß-Additiv | | | | | | |
| Con | nments | The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE for inhalation: > 20.000 ppmV (gases), > 20 mg/l (vapours), > 5 mg/l (dusts/mists). | | | | | |

| Acu | Acute inhalational toxicity | | | | | |
|-------|---|--------------|-----------------|--------------------|--------------------------|--|
| No | Substance name | | CAS no. | | EC no. | |
| 1 | Hydrocarbons, C14-C18, n-alkanes, isoal | kanes, | - | | 920-360-0 | |
| | cyclics, aromatics (2-30 %) | | | | | |
| LC5 | 0 | > | | 5,28 | mg/l | |
| Dura | tion of exposure | | | 4 | h | |
| State | e of aggregation | Vapour | | | | |
| Spec | cies | rat | | | | |
| Meth | nod | OECD 403 | | | | |
| Soul | ce | ECHA / Read | d across | | | |
| Eval | uation/classification | Based on av | ailable data, t | the classification | on criteria are not met. | |
| 2 | 2-ethylhexan-1-ol | | 104-76-7 | | 203-234-3 | |
| LC5 | 0 | 1,1 | | - 4,3 | mg/l | |
| Dura | ition of exposure | | | 4 | h ¯ | |
| State | e of aggregation | Dust/mist | | | | |
| Spec | cies | rat | | | | |
| Meth | nod | OECD 403 | | | | |
| Soul | rce | ECHA | | | | |
| Eval | uation/classification | Based on ava | ailable data, t | the classification | on criteria are met. | |

| Skin | corrosion/irritation | | | |
|------|--|--------------|----------------------------------|---------------------|
| No | Substance name | | CAS no. | EC no. |
| 1 | Hydrocarbons, C14-C18, n-alkanes, isoa | lkanes, | - | 920-360-0 |
| | cyclics, aromatics (2-30 %) | | | |
| Spec | cies | rabbit | | |
| Meth | nod | OECD 404 | | |
| Sour | rce | ECHA / Read | across | |
| Eval | uation | non-irritant | | |
| Eval | uation/classification | Based on ava | ailable data, the classificatior | n criteria are met. |
| 2 | 2-ethylhexan-1-ol | | 104-76-7 | 203-234-3 |
| Spec | cies | rabbit | | |
| Meth | nod | OECD 404 | | |
| Sour | rce | ECHA | | |
| Eval | uation | irritant | | |
| Eval | uation/classification | Based on ava | ailable data, the classification | n criteria are met. |

| Seri | Serious eye damage/irritation | | | | | |
|------|---|---------|-----------|--|--|--|
| No | Substance name | CAS no. | EC no. | | | |
| 1 | Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30 %) | - | 920-360-0 | | | |
| Spe | cies rabbit | | | | | |



Trade name: masteroil Diesel Anti-Ruß-Additiv

Product no.: 1785

Current version: 1.0.2, issued: 21.04.2022 Region: IE

| Method | OECD 405 |
|---------------------------|---|
| Source | ECHA / Read across |
| Evaluation | non-irritant |
| Evaluation/classification | Based on available data, the classification criteria are not met. |
| 2 2-ethylhexan-1-ol | 104-76-7 203-234-3 |
| Species | rabbit |
| Method | OECD 405 |
| Source | ECHA |
| Evaluation | Irritating to eyes |
| Evaluation/classification | Based on available data, the classification criteria are met. |

| Res | Respiratory or skin sensitisation | | | | | |
|------------|---|--|--------------------|--|--|--|
| No | Substance name | CAS no. EC | c no. | | | |
| 1 | Hydrocarbons, C14-C18, n-alkanes, isoal | kanes, - 92 | 0-360-0 | | | |
| | cyclics, aromatics (2-30 %) | | | | | |
| Rout | te of exposure | Skin | | | | |
| Spec | cies | guinea pig | | | | |
| Meth | nod | OECD 406 | | | | |
| Source | | ECHA / Read across | | | | |
| Evaluation | | non-sensitizing | | | | |
| Eval | uation/classification | Based on available data, the classification crit | teria are not met. | | | |

| Geri | Germ cell mutagenicity | | | | | | |
|---------------------------|--|------------------------------------|-----------------------------------|--|--|--|--|
| No | Substance name | CAS no. | EC no. | | | | |
| 1 | Hydrocarbons, C14-C18, n-alkanes, isoall cyclics, aromatics (2-30 %) | kanes, - | 920-360-0 | | | | |
| Source | | ECHA / Read across | | | | | |
| Evaluation/classification | | Based on available data, the class | ssification criteria are not met. | | | | |

| Rep | Reproduction toxicity | | | | | | |
|---------------------------|--|----------------------------------|-----------------------------------|--|--|--|--|
| No | Substance name | CAS no. | EC no. | | | | |
| 1 | Hydrocarbons, C14-C18, n-alkanes, isoall cyclics, aromatics (2-30 %) | kanes, - | 920-360-0 | | | | |
| Source | | ECHA / Read across | | | | | |
| Evaluation/classification | | Based on available data, the cla | ssification criteria are not met. | | | | |

| Card | Carcinogenicity | | | | | |
|---------------------------|--|------------------------------|--|--|--|--|
| No | Substance name | CAS no. | EC no. | | | |
| 1 | Hydrocarbons, C14-C18, n-alkanes, isoall cyclics, aromatics (2-30 %) | kanes, - | 920-360-0 | | | |
| Source | | ECHA / Read across | | | | |
| Evaluation/classification | | Based on available data, the | e classification criteria are not met. | | | |

STOT - single exposure No data available

| STO | STOT - repeated exposure | | | | | |
|--------|---|--------------------------------|-------------------------------------|--|--|--|
| No | Substance name | CAS no. | EC no. | | | |
| 1 | Hydrocarbons, C14-C18, n-alkanes, isoal cyclics, aromatics (2-30 %) | kanes, - | 920-360-0 | | | |
| Source | | ECHA / Read across | | | | |
| Eval | uation/classification | Based on available data, the c | lassification criteria are not met. | | | |

| Aspiration hazard | |
|-------------------|--|
| No data available | |

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.



Trade name: masteroil Diesel Anti-Ruß-Additiv

Product no.: 1785

Current version: 1.0.2, issued: 21.04.2022 Replaced version: 1.0.1, issued: 17.01.2022 Region: IE

SECTION 12: Ecological information

12.1 Toxicity

| Toxi | Toxicity to fish (acute) | | | | | |
|------|--|---------------|--------------|------|-----------|--|
| No | Substance name | | CAS no. | | EC no. | |
| 1 | 2-ethylhexyl nitrate | | 27247-96-7 | | 248-363-6 | |
| LC5 |) | | | 2 | mg/l | |
| Dura | tion of exposure | | | 96 | h | |
| Spec | cies | Danio rerio | | | | |
| Meth | nod | OECD 203 | | | | |
| Soul | ce | ECHA | | | | |
| 2 | hydrocarbons, C10, aromatics, <1% napl | nthalene | - | | 918-811-1 | |
| LL50 | | >= 2 | - | 5 | mg/l | |
| Dura | tion of exposure | | | 96 | h | |
| Spec | cies | Oncorhynchu | s mykiss | | | |
| Meth | nod | OECD 203 | | | | |
| Soul | ce | ECHA | | | | |
| 3 | 2-ethylhexan-1-ol | | 104-76-7 | | 203-234-3 | |
| LC5 |) | | _ | 17,1 | mg/l | |
| Dura | tion of exposure | | | 96 | h | |
| Spec | cies | Leuciscus idu | ıs melanotus | | | |
| Soul | ce | ECHA | | | | |

Toxicity to fish (chronic)

No data available

| Toxi | Toxicity to Daphnia (acute) | | | | | |
|------|--|--------------|------------|------|-----------|--|
| No | Substance name | | CAS no. | | EC no. | |
| 1 | 2-ethylhexyl nitrate | | 27247-96-7 | 1 | 248-363-6 | |
| EC5 | 0 | > | | 12,6 | mg/l | |
| Dura | tion of exposure | | | 48 | h | |
| Spec | cies | Daphnia magi | na | | | |
| Meth | nod | OECD 202 | | | | |
| Sour | rce | ECHA | | | | |
| 2 | hydrocarbons, C10, aromatics, <1% napl | nthalene | - | | 918-811-1 | |
| EL50 | | >= 3 | | - 10 | mg/l | |
| Dura | tion of exposure | | | 48 | h | |
| Spec | cies | Daphnia magi | na | | | |
| Meth | nod | OECD 202 | | | | |
| Sour | ce | ECHA | | | | |
| 3 | 2-ethylhexan-1-ol | | 104-76-7 | | 203-234-3 | |
| EC5 | 0 | | | 39 | mg/l | |
| Dura | tion of exposure | | | 48 | h | |
| Spec | cies | Daphnia magi | na | | | |
| Sour | ce | ECHA | | | | |

Toxicity to Daphnia (chronic) No data available

| Toxi | Toxicity to algae (acute) | | | | |
|------|---|----------------------------|-------|-----------|--|
| No | Substance name | CAS no. | | EC no. | |
| 1 | 2-ethylhexyl nitrate | 27247-96-7 | | 248-363-6 | |
| EC5 | 0 | | 1,57 | mg/l | |
| Dura | tion of exposure | | 72 | h | |
| Spec | cies | Pseudokirchneriella subcap | itata | | |
| Meth | nod | OECD 201 | | | |
| Soul | ce | ECHA | | | |
| 2 | 2 hydrocarbons, C10, aromatics, <1% naphthalene - 918-811-1 | | | | |
| EL50 | | >= 1 - | 3 | mg/l | |



Trade name: masteroil Diesel Anti-Ruß-Additiv

Product no.: 1785

Current version: 1.0.2, issued: 21.04.2022 Region: IE Replaced version: 1.0.1, issued: 17.01.2022

| Duration of exposure | | | 72 | h | |
|----------------------|------------------------|---------------------------------|------------|--------------------------|--|
| Species | | Pseudokirchneriella subcapitata | | | |
| Method | | OECD 201 | | | |
| Source | | ECHA | | | |
| 2 | O other lborrow 4 of | 404.70.7 | | 202 224 2 | |
| 3 | 2-ethylhexan-1-ol | 104-76-7 | | 203-234-3 | |
| EC5 | | 104-76-7 | 11,5 | 203-234-3 mg/l | |
| EC5 | | 104-76-7 | 11,5 72 | | |
| EC5 | 0 ition of exposure | Desmodesmus subspicatus | , - | mg/l | |

Toxicity to algae (chronic)

No data available

Bacteria toxicity
No data available

12.2 Persistence and degradability

| I eroiotenice and degradability | | | |
|---|---------------------------|--------|-----------|
| Biodegradability | | | |
| No Substance name | CAS no. | | EC no. |
| 1 hydrocarbons, C10, aromatics, <1% nap | hthalene - | | 918-811-1 |
| Туре | COD | | |
| Value | | 49,56 | % |
| Duration | | 28 | day(s) |
| Method | OECD 301 F | | |
| Source | ECHA | | |
| Evaluation | not readily biodegradable | | |
| 2 2-ethylhexan-1-ol | 104-76-7 | | 203-234-3 |
| Туре | aerobic biodegradation | | |
| Value | 79 | - 99,9 | % |
| Duration | | 2 | week/s |
| Method | OECD 301 C | | |
| Source | ECHA | | |
| Evaluation | readily biodegradable | | |

12.3 Bioaccumulative potential

| | 2.04.00444 | | | | | |
|-----------------------|---|----------|------------|------|-----------|--|
| Part | Partition coefficient n-octanol/water (log value) | | | | | |
| No | Substance name | | CAS no. | | EC no. | |
| 1 | 2-ethylhexyl nitrate | | 27247-96-7 | | 248-363-6 | |
| log F | Pow | | | 5,24 | | |
| Meth | Method | | | | | |
| Sou | rce | ECHA | | | | |
| 2 | 2-ethylhexan-1-ol | | 104-76-7 | | 203-234-3 | |
| log F | Pow | | | 2,9 | | |
| Reference temperature | | | | 25 | °C | |
| Method | | OECD 117 | | | | |
| Sou | rce | ECHA | | | | |

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

| Results of PBT and vPvB assessment | | | | | |
|------------------------------------|--------------------|--|--|--|--|
| PBT assessment | No data available. | | | | |
| vPvB assessment | No data available. | | | | |

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.



Trade name: masteroil Diesel Anti-Ruß-Additiv

Product no.: 1785

Current version: 1.0.2, issued: 21.04.2022 Replaced version: 1.0.1, issued: 17.01.2022 Region: IE

12.8 Other information

Other information

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class 9
Classification code M6
Packing group III
Hazard identification no. 90
UN number UN3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Technical name 2-ethylhexyl nitrate

Tunnel restriction code - Label 9

Environmentally hazardous Symbol "fish and tree"

substance mark

14.2 Transport IMDG

Class 9
Packing group III
UN number UN3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Technical name 2-ethylhexyl nitrate

EmS F-A, Ś-F Label 9

Marine pollutant mark Symbol "fish and tree"

14.3 Transport ICAO-TI / IATA

Class 9
Packing group III
UN number UN3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

Technical name 2-ethylhexyl nitrate

Label 9

Environmentally hazardous Symbol "fish and tree"

substance mark

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments



Trade name: masteroil Diesel Anti-Ruß-Additiv

Product no.: 1785

Current version: 1.0.2, issued: 21.04.2022 Replaced version: 1.0.1, issued: 17.01.2022 Region: IE

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 3

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is subject to Part I of Annex I, risk category:

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

EUH044 Risk of explosion if heated under confinement.

H228 Flammable solid.

H312 Harmful in contact with skin. H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.
H360 May damage fertility or the unborn child

H373 May cause damage to organs through prolonged or repeated exposure

Very toxic to aquatic life with long lasting effects.
 Harmful to aquatic life with long lasting effects.

Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.



Trade name: masteroil Diesel Anti-Ruß-Additiv

Product no.: 1785

Current version: 1.0.2, issued: 21.04.2022 Replaced version: 1.0.1, issued: 17.01.2022 Region: IE

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.